

ELMO

FOR A CLEAN AND HEALTHY ENVIRONMENT



Non-toxic
weed control

EFFICIENT & SUSTAINABLE SURFACE MAINTENANCE

ET8 ECOFIPS: 3-IN-1 ALL-ROUNDER FOR SURFACE MAINTENANCE

AREA MAINTENANCE WITH THE ELMOTHERM®-TECHNIQUE

Use the ELMOTherm® technique to remove weeds, wild weeds, algae and mosses from paved surfaces, slopes, water-bound paths, etc. The hot-water hot foam technique also supports you in the removal of oak processionary moths, the control of Hercules weed and much more.

APPLICATION SELECTION



RELY ON REAL RESULTS!

Comparison: This is how areas look like before and after treatment using the ELMOTherm®-technique.




SOLUTIONS FOR YOUR ECOLOGICAL + EFFICIENT AREA MAINTENANCE

We are in control of weed without using poison - and we enable you to do the same: ELMO is the market leader in wet thermal weed removal and has been your partner for ecological and efficient surface maintenance for more than 20 years.

Our ELMOTherm[®]-technique, the only hot water-hot foam process on the market that is effective against weeds, wild weeds, algae, moss ... and has proven itself over many years on millions of square metres of surface area!

THIS IS HOW THE ELMOTHERM[®]-TECHNIQUE WORKS



We have developed the ELMOTherm[®]-technique as an ecologically + economically sustainable system: Compared to a conventional hot water process, our hot water-hot foam technique doubles the working speed.

With ELMOTherm[®]-technology, you save on personnel and operating costs, reduce application cycles and CO₂-emissions and save cash - with every application!



ELMOTherm[®]-
technique
on video

ET8 ECOFIPS



ET8 ECOFIPS

DIMENSIONS

Width	65 cm
Height	80 cm
Depth	155 cm

WEIGHT	131 kg (without consumables)
--------	------------------------------

CONSUMPTION

Fuel oil / Diesel	3.5 - 4.2 l/h
Elmo Foam®	0-2 l/h
Water	6.2 l/min
Cleaner	0-2 l/h

AREA PERFORMANCE	80-350 m²/h
------------------	-------------

FUEL TANK	20 l
-----------	------

All technical specifications in this brochure are approximate values.
They can slightly deviate due to the individual production of the machines.



SPECIFICATIONS & EQUIPMENT

- Powder-coated frame
- High-quality water pump
- Temperature display
- Temperature limitation thermostat
- Operating hours counter
- Heating oil or diesel fuel tank
- Canister holder for foaming agent Elmo Foam® or calcination protection
- Foam lance with quick-change head, width 18 cm
- 15 m hose reel with hand crank

SPECIAL EQUIPMENT

- Hose extension with quick-fit fasteners, possible lengths: 10 m, 20 m, 30 m (up to the max. total length of 50 metres possible)
- Special lance, tip for special lance
- Lance head with rollers

REQUIRED CONNECTIONS

- Water connection (GARDENA®)
- 230-V power connection

sturdy tubular
steel frame

high-quality metal housing
for maximum safety

Foam lance for the
weed management

all-terrain thanks to
robust pneumatic tyres

3-in-1 ALL-ROUNDER FOR SURFACE MAINTENANCE



GARDENA®-compatible
cold-water connector
with water filter



Automatic
temperature control



Bracket for foam,
cleaner or lime-free container

ACCESSORIES

OPTIONAL EXTRAS, IN ORDER
TO GET MORE DONE

1 Foam lance
180 mm width for weed management on roads, squares, gravel and crushed stone areas etc.

2 Brush lance
240 mm width with 60 mm long bristles, for cleaning cars, boats, awnings, garden furniture et cetera

3 Pressure lances
for the cleaning of terraces, stone surfaces, buildings, etc.

4 EPS-lance
Telescopic lance, 12 cm width with return protection. The lance can be extended from 2.3 to 3.8 metres, for the treatment of trees which are infested with oak processionary moths.



5 Perennial tip, long
Shrubs lance, 440 mm long pricking set, for removing shrubberies with deep roots, e.g. giant hogweeds

Perennial tip, short
Pricking set, 240 mm long, for removing young shrubberies with short roots


6 Lance quick-change head, bed
80 x 100 mm

7 Lance quick-change heads with and without rollers



8 15 m long hot-water hose with hose protection, extendable to 50 m

NEW



HIGHER EFFICIENCY IS AN EASY OBJECTIVE TO ACHIEVE!

Put performance first: Our multifunctional units have an area output of up to 3,000 m² per hour and cover a wide range of applications with an extensive accessories package. Individual solutions we develop as special system!

YOUR ADVANTAGES WITH THE ELMOTHERM®-TECHNIQUE!

- ✓ Ecological + efficient surface maintenance
- ✓ High efficiency due to hot water-hot foam
- ✓ No permission according to the German Plant Protection Act and Environment Damage Act required
- ✓ Registered in the Operating Material List of the Research Institute of Organic Agriculture FiBL for the ecological farming in Germany



ELMO

FOR A CLEAN AND HEALTHY ENVIRONMENT

ELMO GMBH

Am Stadtwalde 15
48432 Rheine
Germany

Phone: +49 (0)5971 – 63 36

Fax: +49 (0)5971 – 87 00 0

E-Mail: info@elmotherm.eu

REQUEST YOUR PERSONAL OFFER NOW:

ELMOTherm® is a brand name of the **ELMO GMBH**

WWW.ELMOTHERM.EU

Non-toxic
weed control